


Tap Bolts

SAE Grade 2 J429

Zinc Plated



Coarse Thread. A fully threaded hex head bolt used in a drilled or tapped hole where a cap screw or stud would be impractical. Tap bolts are often used in construction, agriculture and automotive applications. Made of carbon steel, tap bolts are manufactured in accordance with SAE Gr2 material requirements and ASME and ANSI dimensional specifications.

1/2 - 13 Zinc Clear				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
4"	2004225	25.60	10	570640R1

7/16 - 14 Zinc Yellow				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
4 1/2"	1690442	20.50	10	191200C1

Tap Bolts with Drilled Holes


SAE Grade 5 J429

Zinc Yellow

1/2 - 13			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
2 3/4"	1694532	18.60	10

Fully Threaded Hex Head Cap Screws

SAE Grade 8 J429



Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

Coarse Thread			
5/8 - 11 Magni			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3"	1994066	31.44	10

Fine Thread			
1/2 - 20 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3"	1016169	31.44	10

7/8 - 9 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3 1/2"	1695064	76.11	5


5/8 - 18 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
4 3/4"	1810817	46.53	5

1 - 8 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7"	2012261	179.30	1

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

Fully Threaded Hex Head Cap Screws

SAE Grade 5 J429 Zinc Yellow



Coarse Thread. Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

1/4 - 20

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	1690016	2.43	100
3"	1690043	4.50	50

9/16 - 12

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	1013093	14.14	25

5/16 - 18

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	1690138	3.91	50
1 3/4"	1690143	4.45	50
2"	1874927	4.99	50
2 1/2"	1690161	6.06	50
3"	1690172	7.14	50
3 3/4"	1690186	8.75	25
4"	1690191	9.29	25

5/8 - 11

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3"	1874942	31.44	10
3 1/2"	1874688	35.75	10
4 1/2"	1690836	44.37	5

3/8 - 16

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 3/4"	1690269	6.42	50
2"	1829291	7.19	50
2 1/2"	1690283	8.74	25
2 3/4"	2010463	9.52	25
3"	1690296	10.30	25
3 1/4"	1690299	11.07	25
3 1/2"	1690304	11.85	25
4"	1874933	13.40	25
4 1/2"	2001751	14.95	25
5"	1874934	16.50	25
7"	1874935	22.71	10

3/4 - 10

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3"	1874677	47.56	5
3 1/4"	1690941	50.67	5
4 1/2"	2006687	66.22	5
6 1/2"	1810675	91.10	1

7/8 - 9

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
4"	1691076	84.57	1

1/2 - 13

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
2"	1993846	14.35	25
2 1/2"	1874939	17.11	10
2 3/4"	1690529	18.49	10
3"	1690537	19.87	10
3 1/2"	1690547	22.63	10
5"	1690563	30.91	10
5 1/2"	1690573	33.67	10
6"	1874678	36.43	10
6 1/2"	1874685	39.19	5

1 1/2 - 6

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5"	2010906	339.90	1

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com



Fully Threaded Hex Head Cap Screws

SAE Grade 5 J429 Zinc Yellow



Fine Thread. Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

1/2 - 20

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	1012092	11.59	25

5/8 - 18

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
2 1/2"	2008773	27.13	10
5"	1692841	48.68	5

Fully Threaded Hex Head Cap Screws

SAE Grade 5 J429



Coarse Thread. Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

1/4 - 20 Plain Finish

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	1690015	2.43	100

1/2 - 13 Plain Finish

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3 1/2"	2001087	22.63	10

1/4 - 20 Magni 563 Grey

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	1998361	2.43	100

7/8 - 9 Zinc Clear

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
4"	2010643	84.57	1

3/8 - 16 Zinc Clear

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3 1/2"	1690303	11.85	25

Reference numbers and part weights are provided as a reference only.
Actual part weight may vary from weights shown.

Fully Threaded Hex Head Cap Screws
 Class 10.9 Zinc Yellow



Coarse Thread. Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

M6 - 1.00 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1490087	1.78	100

M8 - 1.25 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
65MM	1480092	6.28	50
100MM	1480091	9.26	25

M8 - 1.25 MacuGuard 10% (Zinc Yellow)			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1490087	1.78	100

M10 - 1.50 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
50MM	1492130	8.20	25
65MM	1492159	10.21	25
70MM	1492166	10.87	25
85MM	1492197	12.85	25

M10 - 1.50 Plain Finish			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
65MM	1492160	10.21	25

M10 - 1.50 Magni 565 Grey			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
70MM	2002787	10.87	25

M12 - 1.75 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
60MM	2003650	14.62	25

M16 - 2.00 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
320MM	1495400	117.34	1

M16 - 2.00 Plain Finish			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
80MM	1495176	33.29	10
320MM	1495401	101.10	1

M20 - 2.50 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
110MM	1496229	70.11	5

M20 - 2.50 MacuGuard 10% (Zinc Yellow)			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
110MM	1496230	70.11	5

M18 - 1.50 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
65MM	2010151	40.26	10


Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Fully Threaded Hex Head Cap Screws

Class 8.8 Zinc Yellow



Coarse Thread. Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

M5 - .8

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
45MM	1490025	1.66	100

M6 - 1.00

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1995456	1.78	100
35MM	1995015	2.02	100
40MM	1401104	2.26	100
70MM	2012279	3.68	50

M8 - 1.25

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
40MM	1491111	4.21	100
45MM	1491110	4.63	50
50MM	1491120	5.05	50
60MM	1491149	5.91	50
80MM	2001409	7.58	50
100MM	2002340	9.26	25

M10 - 1.50

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
45MM	1492110	7.54	50
50MM	1492120	8.20	25
55MM	2004764	8.86	25
60MM	1406165	9.52	25
65MM	1993068	10.21	25
80MM	1492181	12.19	25
90MM	2006330	13.51	25

M12 - 1.75

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
40MM	1491111	4.21	100
45MM	1491110	4.63	50
50MM	1491120	5.05	50
60MM	1491149	5.91	50
80MM	2001409	7.58	50
100MM	2002340	9.26	25

M16 - 2.00

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
100MM	1495213	40.12	5

Fully Threaded Hex Head Cap Screws Class 8.8



Coarse Thread. Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

M6 - 1.00 Zinc Black

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
40MM	2008303	2.25	100

M6 - 1.00 Zinc Trivalent Clear with Sealer

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	2014627	1.78	100

M6 - 1.00 Magni 565 Grey

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
50MM	2014338	2.73	100

M8 - 1.25 Plain Finish

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
80MM	2012691	7.58	50

M8 - 1.25 Zinc Trivalent Clear with Sealer

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
80MM	2014630	7.58	100

M10 - 1.50 Magni 565 Grey

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
60MM	1998153	9.52	25

M16 - 2.00 Plain Finish

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
100MM	1495219	40.12	5

M16 - 2.00 Magni 565 Grey

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
70MM	2015421	29.76	10

Reference numbers and part weights are provided as a reference only.
Actual part weight may vary from weights shown.

1-888-232-1010
fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com



TRINITY™
SUPPLY CHAIN SOLUTIONS 281
20100706/issue 3/rev. a

Fully Threaded Hex Head Cap Screws

Stainless Steel 18 - 8



Coarse Thread. Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

1/4 - 20

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 3/4"	1001117	2.80	100
2"	1001137	3.15	100

1/2 - 13

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3"	1873425	20.09	10

5/16 - 18

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
2"	1690151	5.04	50
3"	1690171	7.21	50

M5 - .8

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1838794	1.18	100

3/8 - 16

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 3/4"	2015502	6.49	50
2 1/2"	1006153	8.83	25

Fully Threaded Hex Head Cap Screws with Drilled Holes



Coarse Thread. Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

Class 8.8 M10 - 1.5 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
160MM	2000165	20.00	10	9822703

Grade 8 1/2 - 13 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
6 1/2"	2006442	39.19	5	323794A1

Left Hand Hex Head Cap Screws


ANSI Class 8.8 Zinc Yellow



M16 - 2.00			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
75MM	1839683	31.52	10

Fully Threaded Hex Head Cap Screws with Machined Head

ANSI Class 10.9 Zinc Yellow



Coarse Thread. Fully threaded hex head cap screws can be used in applications where tap bolts would be used.

M10 - 1.5				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
50MM	1813653	8.20	25	302116A1

Reference numbers and part weights are provided as a reference only.
Actual part weight may vary from weights shown.

1-888-232-1010
fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com