

Hex Head Cap Screws with locking feature



Loc-Tite Patch		Class 10.9		
M20 - 2.50		Zinc Yellow		
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
60MM	1496993	43.43	5	443375A1
100MM	2001083	64.81	5	87516998

Long-Lok Strip		18-8 Stainless Steel		
3/8 - 16				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
3/4"	1888908	3.65	100	EP9524531

Adhesive Coated		Class 8.8		
M10 - 1.50		Zinc Yellow		
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
40MM	1836914	6.88	50	87450914

Hex Head Cap Screws with Chemical Patch Class 10.9



Medium carbon alloy steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 10 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly.

Coarse Thread				
M6 - 1.00 Zinc Yellow				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
35MM	1490096	2.02	100	86639143

Fine Thread				
M10 - 1.25 Zinc Yellow				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
20MM	1405162	4.47	50	

M8 - 1.25 Zinc Yellow				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
20MM	1491066	2.62	100	607-08020
30MM	1491084	3.37	100	607-08030
35MM	1491096	3.79	100	607-08035

Fine Thread				
M14 - 1.50 Plain Finish				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
35MM	2000467	13.05	25	89503097

M12 - 1.75 Plain Finish				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
40MM	1999994	10.80	25	606-12040


Reference numbers and part weights are provided as a reference only.
Actual part weight may vary from weights shown.

1-888-232-1010
fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Hex Head Cap Screws with Chemical Patch

Class 8.8 Zinc Yellow ANSI



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances.

Coarse Thread

M8 - 1.25

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
50MM	1491123	5.05	50	604-08050
80MM	1491186	7.58	50	87306060

Coarse Thread

M12 - 1.75

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
30MM	1493084	8.16	25	604-12030

M10 - 1.50

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
35MM	1492096	6.22	50	604-10035

Extra Fine Thread

M20 - 1.25

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
35MM	1495806	31.74	10	604-20035
40MM	1496100	33.95	10	604-20040

Hex Head Cap Screws with Chemical Patch

Grade 5



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ASME B18.2.1 dimensional tolerances.

1/2 - 13 Plain Finish

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1 1/4"	1810345	10.34	25	106-9820

3/4 - 10 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
3"	1019181	47.56	5	106-91248

1/2 - 13 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1 1/4"	1011072	10.34	25	106-9820

3/4 - 10 Plain Finish

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1 1/2"	1810360	29.66	10	106-91224
3"	1811073	47.56	5	106-91248

5/8 - 11 Plain Finish

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1 1/2"	1810355	18.70	10	106-91024

7/8 - 9 Plain Finish

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
4"	1810362	84.57	1	106-91464

Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.

Hex Head Cap Screws with Chemical Patch Grade 8



Coarse Thread. Alloy steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ANSI B18.2.1 dimensional tolerances.

1/2 - 13 Plain Finish				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1 1/2"	1812615	11.59	25	107-09824

5/8 - 11 Plain Finish				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
2"	2000328	22.82	10	113-2633

1/2 - 13 Zinc Yellow				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1 1/4"	1058407	10.34	25	87018374
1 1/2"	1058409	10.69	25	410-9824

3/4 - 10 Zinc Yellow				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1 3/4"	1058707	32.26	10	87018375
3"	1058717	47.56	5	410-91248

9/16 - 18 Plain Finish				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1 1/4"	1014079	12.71	25	110-14

1 - 8 Plain Finish				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
2 1/2"	1810370	79.92	5	107-91640

1 - 8 Zinc Yellow				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
2 1/2"	1058909	79.92	5	410-91640

Hex Head Cap Screws with Nylon Patch Class 8.8 ANSI Zinc Yellow



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances.

M6 - 1.00				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
16MM	1490053	1.16	100	369906A1

M12 - 1.75				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
35MM	2015001	8.95	25	86566268

Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Hex Head Cap Screws with Nylon Patch

Grade 8 SAE J429



Coarse Thread. Alloy steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ANSI B18.2.1 dimensional tolerances.

5/16 - 18 Zinc Phos & Oil

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1003043	2.41	100

7/16 - 14 Zinc Phos. & Oil

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	1874894	5.92	100

3/8 - 16 Zinc Phos. & Oil

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	1836877	2.80	100
1 1/4"	2003764	4.75	50

1/2 - 13 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 3/4"	1874896	12.97	25
2"	1058414	14.35	25

3/8 - 16 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	1875761	4.17	50
1 1/4"	1874890	4.86	50

1/2 - 13 Black Zinc Phos. & Oil

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1874658	8.10	50

Hex Head Cap Screws with Nylon Patch

Grade 5 SAE J429



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ASME B18.2.1 dimensional tolerances.

1/4 - 20 Plain

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	1820013	1.74	100

7/16 - 14 Plain Finish

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	1836724	7.82	50

1/4 - 20 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7/8"	1821982	1.57	100

Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.

Hex Head Cap Screws with Nylon Patch Class 10.9



Medium carbon alloy steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances.

Coarse Thread			
M6 - 1.00 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
16MM	2015524	1.16	100

M8 - 1.25 Zinc Phos. & Oil			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
16MM	1817052	2.34	100
20MM	1491045	2.62	100
25MM	1817058	2.95	100
30MM	1491089	3.37	100
40MM	1491107	4.21	100
50MM	1491129	5.05	50

M10 - 1.50 Plain Finish			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
45MM	1492119	7.54	50

M10 - 1.50 Dry Phosphate			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
25MM	1817067	5.03	50
30MM	1492089	5.56	50

M12 - 1.75 Zinc Phos. & Oil			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1493089	8.16	25

M12 - 1.75 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
60MM	1493140	14.62	25

M16 - 2.00 Zinc Phos. & Oil			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
80MM	1495182	33.29	10

M20 - 2.50 Plain Finish			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
55MM	1496130	40.79	5

Fine Thread			
M14 - 1.50 Plain Finish			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
120MM	1992006	35.05	10

Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Hex Head Cap Screws with Nylon Pellet



Coarse Thread.

3/8 - 16			
Black Zinc Phosphate & Oil Grade 8			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7/8"	1874657	3.86	100

Hex Head Cap Screws with Scotch-Grip® Patch Class 10.9

Scotch Grip is a trademark of 3M.



Medium carbon alloy steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances.

Coarse Thread			
M10 - 1.50 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
55MM	1496130	40.79	5

M12 - 1.75 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
40MM	2009345	10.80	25
60MM	2004612	14.62	25

M16 - 2.00 Zinc Phos. & Oil			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
35MM	2013644	18.32	10
50MM	2008873	22.93	10
95MM	2005137	38.36	10

M24 - 3.00 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
60MM	2000849	66.36	5

Fine Thread			
M24 - 2.00 Zinc Yellow			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
210MM	2006906	179.23	1

Hex Head Cap Screws with Poly-Lok® Patch

Class 8.8 ANSI Zinc Yellow



Coarse Thread. Poly-Lok® is a registered trademark of Long - Lok Corporation.


M16 - 2.00				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
40MM	1495106	19.75	10	848780

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

Hex Head Cap Screws with Scotch-Grip® Patch

Class 8.8 Zinc Yellow

Scotch-Grip is a registered trademark of 3-M Company.



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances.

M8 - 1.25

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	2001155	3.37	100

M16 - 2.00

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
40MM	2004898	19.75	10

M12 - 1.75

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
90MM	1812450	20.35	10
95MM	1814913	22.50	10

M20 - 2.50

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
45MM	1496121	36.16	10

Hex Head Cap Screws with Loctite® 204™

Class 8.8 Zinc Yellow

Loctite 204 is a registered trademark of Henkel Corporation.



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances.

M10 - 1.50

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
35MM	1992519	6.22	50

Reference numbers and part weights are provided as a reference only.
Actual part weight may vary from weights shown.

1-888-232-1010
fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com