

## Hex Flange Lock Nuts

### IFI Grade G



Also known as "Frame Nuts" these nuts are a hex nut and washer all in one. Parts are designed to be used with a hex flange screw or a standard hex head capscrew. Parts meet or exceed IFI 100/107 & IFI 101 standards. 150M PSI Strength with a zinc phosphate and oil finish.

Zinc Phosphate & Oil part shown.

Zinc Phosphate Oil & Wax Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 18	1367038	1.63	100
3/8 - 16	1367058	2.55	100
1/2 - 13	1367108	5.40	50
5/8 - 11	1367188	10.96	25
3/4 - 10	1367228	15.67	25

Zinc Phosphate Oil & Wax Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2 - 20	1367128	5.40	50
5/8 - 18	1367208	10.96	50
3/4 - 16	1367258	15.67	25
7/8 - 14	1367298	22.50	10

Plain Finish & Wax Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2 - 13	1994001	5.40	50
5/8 - 11	1367184	10.96	25

Plain Finish & Wax Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8 - 18	1367035	1.63	100

Zinc Yellow & Wax Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 18	1395037	1.63	100
1/2 - 13	1367109	5.40	50
5/8 - 11	1367189	10.96	25

Cadmium Yellow & Wax Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8 - 11	1367185	10.96	25
3/4 - 10	1367230	15.67	25

Cadmium Clear & Wax Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7/16 - 20	1367087	2.55	100

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010  
 fax: (563) 441-6760

[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)

## Hex Flange Lock Nuts

IFI Grade F



Zinc Yellow & Wax		Coarse Thread	
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1367014	0.90	100
5/16 - 18	1367026	2.55	100
5/8 - 11	1367186	10.96	25

## Hex Flange Lock Nuts

Steel



Zinc Yellow & Wax		Coarse Thread		
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
#12 - 24	1969521	1.01	100	88015

Plain Finish & Wax		Low Carbon Steel Coarse Thread		
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
3/8 - 16	2000554	1.78	100	473371R1

## Hex Flange Lock Nuts

Class 8 DIN 6927



Zinc Yellow & Wax part shown.

DIN 6927		Plain Finish		Fine Thread	
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity		
M6 - 1.0	2011792	1.00	100		

DIN 6927		Zinc Yellow & Wax		Coarse Thread	
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.	
M6 - 1.0	2006835	0.80	100	86619800	

ANSI		Zinc Yellow & Wax		Coarse Thread	
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity		
M10 - 1.5	2006957	2.51	100		

Reference numbers and part weights are provided as a reference only.  
Actual part weight may vary from weights shown.

Hex Flange Lock Nuts  
 Class 10



DIN 6923 Plain Finish Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M6 - 1.0	2009948	0.80	100
M8 - 1.25	2009950	1.60	100
M10 - 1.5	2009951	2.60	100
M12 - 1.75	1484068	4.20	100
M20 - 2.5	1484158	21.00	25

DIN 6923 Zinc Yellow Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M6 - 1.0	1484017	0.80	100
M8 - 1.25	1484027	1.60	100
M10 - 1.5	1484047	2.60	100
M12 - 1.75	1484067	4.20	100
M16 - 2.0	1991128	5.40	50
M20 - 2.5	1484157	21.00	25

DIN 6923 Zinc Yellow Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M20 - 1.5	1992162	21.00	25

Zinc Yellow Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M18 - 2.5	1873507	15.50	25

Zinc Yellow Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M20 - 1.5	1832912	2.00	25

DIN 6923 Magni 565 Grey Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M8 - 1.25	1831466	1.60	100

Magni 565 Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M10 - 1.25	1998046	2.60	100
M12 - 1.75	1998044	4.20	100

DIN 6932 Zinc Phosphate & Oil Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M8 - 1.25	1484020	1.60	100
M10 - 1.5	1484040	2.60	100
M12 - 1.75	1484060	4.20	100
M16 - 2.0	1484110	5.40	50

DIN 6932 Zinc Trivalent Clear w/Sealer Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M10 - 1.5	2014520	2.60	100
M16 - 2.0	2014536	5.40	50

Hex Flange Lock Nuts  
 Stainless



Metric Coarse Thread				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
M6 - 1.0	1873341	0.86	100	BN300454

Inch Coarse Thread				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1/4 - 20	1873444	0.50	100	BN2294431

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010  
 fax: (563) 441-6760

[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)

## Hex Flange Lock Nuts

Class 8



DIN 6923 Zinc Yellow Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M5 - .8	2007349	1.20	100
M6 - 1.0	1484014	0.80	100
M8 - 1.25	1484024	1.60	100
M10 - 1.5	1484044	2.60	100
M12 - 1.75	1484064	4.20	100
M16 - 2.0	1841413	5.40	50
M20 - 2.5	2002785	21.00	25

DIN 6923 Magni 565 Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M6 - .8	2005386	0.80	100
M8 - 1.25	1998070	1.60	100
M10 - 1.5	1998069	2.60	100
M12 - 1.75	1998068	4.20	100

Zinc Yellow Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M12 - 1.75	1826866	4.80	100

DIN 6932 Zinc Trivalent Clear w/Sealer Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M8 - 1.25	2014519	1.60	100

Plain Finish Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M6 - 1.0	1484015	0.80	100
M20 - 2.5	1484155	21.00	25

DIN 6932 Zinc Trivalent Clear w/Sealer Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M8 - 1.25	2008752	1.45	100

## Hex Flange Lock Nuts

Class 5 Zinc Yellow



Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M4 - .75	1841432	0.34	500

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.