

## Hex Jam Nuts

SAE J995 Grade 8 Plain Finish



Thin nuts are used under full nuts to create a locking action. Meets or exceeds J995 & ASME/ANSI B18.2.2 standards. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1341018	0.52	100
5/16 - 18	1341038	0.77	100
3/8 - 16	1341058	1.05	100
7/16 - 14	1341078	1.86	100
1/2 - 13	1341108	2.62	100
5/8 - 11	1341188	4.93	50
3/4 - 10	1341228	7.70	25
7/8 - 9	1341258	12.00	10
1 - 8	1341298	17.60	10

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1341028	0.52	100
5/16 - 24	1341048	0.77	100
3/8 - 24	1341068	1.05	100
7/16 - 20	1341088	1.86	100
1/2 - 20	1341128	2.62	100
9/16 - 18	1341168	3.68	50
3/4 - 16	1341248	7.70	25
7/8 - 14	1341288	12.00	10
1 - 14	1341318	17.60	10
1 1/2 - 12	1341488	60.90	5

## Hex Jam Nuts

SAE J995 Grade 8 Zinc Yellow



Thin nuts are used under full nuts to create a locking action. Meets or exceeds J995 & ASME/ANSI B18.2.2 standards. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1341017	0.52	100
5/16 - 18	2023123	0.77	
3/8 - 16	1341057	1.05	100
7/16 - 14	2023124	1.86	
1/2 - 13	2023154	2.62	
5/8 - 11	1341187	4.93	50
3/4 - 10	2011030	7.70	
7/8 - 9	2023155	12.00	
1 - 8	1341297	17.60	10

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 24	1341047	0.77	100
3/8 - 24	1341070	1.05	100
7/16 - 20	1341087	1.86	100
1/2 - 20	1341127	2.62	100
5/8 - 18	1341207	4.93	50
3/4 - 16	1341247	7.70	25
1 1/2 - 12	2023153	60.90	5

## Hex Jam Nuts

SAE J995 Grade 8 Zinc Phosphate & Oil



Thin nuts are used under full nuts to create a locking action. Meets or exceeds J995 & ASME/ANSI B18.2.2 standards. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8 - 16	1341053	1.05	100
1/2 - 13	1341109	2.62	50
5/8 - 11	1341179	4.93	50
3/4 - 10	2002442	7.70	25

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8 - 18	2002255	4.93	50
1 1/8 - 12	1341360	24.70	10

## Hex Jam Nuts

SAE J995 Grade 5 Zinc Yellow



Thin nuts are used under full nuts to create a locking action. Meets or exceeds J995 & ASME/ANSI B18.2.2 standards. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1341014	0.52	100
5/16 - 18	1341034	0.77	100
3/8 - 16	1341054	1.05	100
7/16 - 14	1341081	1.86	100
1/2 - 13	1341100	2.62	100
5/8 - 11	1341180	4.93	50
3/4 - 10	1341224	7.70	25
7/8 - 9	1341250	12.00	10
1 - 8	1341303	17.60	10
1 1/4 - 7	1341384	36.10	10
1 1/2 - 6	1341460	60.90	5

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1829281	0.52	100
5/16 - 24	1341044	0.77	100
3/8 - 24	1341060	1.05	100
7/16 - 20	1341090	1.86	100
1/2 - 20	1341124	2.62	100
9/16 - 18	1341160	3.68	50
5/8 - 18	1341204	4.93	50
3/4 - 16	1341240	7.70	25
7/8 - 14	1341264	12.00	10
1 - 12	1345316	17.60	10
1 - 14	1341310	17.60	10
1 1/4 - 12	1341400	36.10	10
1 3/8 - 12	1341440	47.90	10
1 1/2 - 12	1341480	60.90	5

## Hex Jam Nuts

SAE J995 Grade 8 Magni 565



Thin nuts are used under full nuts to create a locking action. Meets or exceeds J995 & ASME/ANSI B18.2.2 standards. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8 - 18	2003461	4.93	50

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 - 14	2003514	17.60	10

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010  
 fax: (563) 441-6760

[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)

## Hex Jam Nuts

SAE J995 Grade 5 Plain Finish



Thin nuts are used under full nuts to create a locking action. Meets or exceeds J995 & ASME/ANSI B18.2.2 standards. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1341015	0.52	100
7/16 - 14	1341075	1.86	100
5/8 - 11	1341185	4.93	50
3/4 - 10	1341225	7.70	25
1 1/8 - 7	1341335	24.70	10
1 1/4 - 7	1341375	36.10	10
1 1/2 - 6	1341465	60.90	5
1 3/4 - 5	1341535	95.20	1

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1341025	0.52	100
5/16 - 24	1341045	0.77	100
7/16 - 20	1341085	1.86	100
9/16 - 18	1341165	3.68	50
7/8 - 14	1341285	12.00	10
1 - 14	1836879	17.60	10
1 1/8 - 12	1341365	24.70	10
1 1/4 - 12	1341405	36.10	10
1 3/8 - 12	1341445	47.90	10
1 3/4 - 12	1341565	95.20	1

## Hex Jam Nuts

SAE J995 Grade 5 Zinc Clear



Thin nuts are used under full nuts to create a locking action. Meets or exceeds J995 & ASME/ANSI B18.2.2 standards. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8 - 16	1340054	1.05	100
1 - 8	1341294	17.60	10

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1340024	0.52	100
5/16 - 24	1340044	0.77	100
3/4 - 16	1340244	7.70	25
1 - 14	1340314	17.60	10
1 3/8 - 12	1341444	47.90	10

## Hex Jam Nuts

SAE J995 Grade 5 Zinc Trivalent Clear



Thin nuts are used under full nuts to create a locking action. Meets or exceeds J995 & ASME/ANSI B18.2.2 standards. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	2014525	0.52	100

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

## Hex Jam Nuts

SAE J995 Grade 5 Magni 565



Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 18	1998207	0.77	100
3/8 - 16	1998206	1.05	100
7/16 - 14	1998205	1.86	100
5/8 - 11	1998210	4.93	50
1 - 8	1998208	17.60	10

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 24	1998202	0.77	100
7/16 - 20	1998201	1.86	100
3/4 - 16	1998203	7.70	25
1 - 14	1341308	17.60	10

## Hex Jam Nuts

SAE J995 Grade 5 Zinc Phosphate & Oil



Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
9/16 - 18	1341171	3.68	50
5/8 - 18	1341206	4.93	50

## Hex Jam Nuts

18 - 8 Stainless Steel



Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1341016	0.53	100
5/16 - 18	1341036	0.78	100
3/8 - 16	1341056	1.06	100
1/2 - 13	1333106	2.64	100
5/8 - 11	1333186	4.98	50
3/4 - 10	1341226	7.78	25
1 - 8	1341296	17.79	10
1 1/4 - 7	1341376	36.49	10

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1333026	0.53	100
5/16 - 24	1341046	0.78	100
3/8 - 24	1341066	1.06	100
7/16 - 20	1341086	1.88	100
1/2 - 20	1341126	2.64	100
5/8 - 18	1341201	4.98	50
3/4 - 16	1341249	7.78	25
7/8 - 14	1341280	12.13	10
1 - 14	1341319	17.79	10
1 1/4 - 12	1341406	36.49	10

Reference numbers and part weights are provided as a reference only.  
 Actual part weight may vary from weights shown.

1-888-232-1010  
 fax: (563) 441-6760

[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)

## Hex Jam Nuts

SAE J995 Grade 2 Zinc Yellow



Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1836305	0.52	100
5/16 - 18	1341031	0.77	100
3/8 - 16	1341051	1.05	100
5/8 - 11	1341187	4.93	100
3/4 - 10	1341223	7.70	25
1 - 8	1341290	17.60	10

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1831015	0.52	100
5/16 - 24	1341003	0.77	100
7/16 - 20	2001311	1.86	100
1/2 - 20	1341120	2.62	100
5/8 - 18	1341199	4.93	50

## Hex Jam Nuts

SAE J995 Grade 2 Zinc Clear



Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 18	1340031	0.77	100
1/2 - 13	1341101	2.62	50

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 24	1340041	0.77	100

## Hex Jam Nuts

SAE J995 Grade 2 Zinc Trivalent Clear with Sealer



Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 18	2014504	0.77	100

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	2014528	0.52	100

## Hex Jam Nuts

SAE J995 Grade 2 Cadmium Clear



Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8 - 24	1832487	1.05	100

## Hex Jam Nuts

SAE J995 Grade 2 Plain Finish



Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1341012	0.52	100
5/16 - 18	2012663	0.77	100
3/8 - 16	1341052	1.05	100
1 3/4 - 5	1341532	95.20	1

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1341022	0.52	100
5/16 - 24	1341042	0.77	100
1/2 - 20	1341122	2.62	100
5/8 - 18	1341202	4.93	50

Extra Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
13/16 - 20	1832953	8.00	10



Reference numbers and part weights are provided as a reference only.  
 Actual part weight may vary from weights shown.

1-888-232-1010  
 fax: (563) 441-6760

[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)

**Left Hand** Hex Jam Nuts



Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Grade 8 Plain Finish Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4 - 10	1341220	7.70	25
2 5/16 - 16	1833099	39.68	1

Grade 5 Plain Finish Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2 - 20	1333125	2.62	100
7/8 - 14	1333285	12.00	10
1 1/4 - 7	1333385	36.10	10

Grade 5 Zinc Yellow Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8 - 11	2005104	4.93	50
3/4-10	1333224	7.70	25

Grade 5 Zinc Yellow Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	2005103	0.52	100
5/16 - 24	1829272	1.05	100
1/2 - 20	1333130	2.62	100
3/4 - 16	1333249	7.70	25
7/8 - 14	1333286	12.00	10
1 1/8 - 12	1333364	24.70	10
1 1/4 - 12	1341399	36.10	10

Grade 5 Zinc Clear Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8 - 24	1333067	1.05	100

Grade 2 Plain Finish Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4 - 10	1333222	7.70	25

**Left Hand** Hex Jam Nuts

18 - 8 Stainless Steel



Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8 - 16	1333053	1.06	100
1/2 - 13	1333103	2.64	100

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1333023	0.53	100
5/16 - 24	1333046	0.78	100
3/8 - 24	1333063	1.06	100
1/2 - 20	1333126	2.64	100
5/8 - 18	1333206	4.98	50
3/4 - 16	1333254	7.78	25
1 - 12	1888263	17.79	10

