

Helical Spring Lock Washers
Steel Plain Finish



Standard spring lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Bolt Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
#10	1511012	0.07	100
1/4"	1511022	0.22	100
5/16"	1511032	0.38	100
3/8"	1511042	0.60	100
7/16"	1511052	0.90	100
1/2"	1511062	1.29	50
9/16"	1511072	1.77	50
5/8"	1511082	2.40	50
3/4"	1511102	3.95	25
7/8"	1511112	5.95	25
1"	1511122	8.80	10
1 1/8"	1511132	12.00	10
1 1/4"	1511142	16.60	10
1 3/8"	1511152	21.90	10
1 1/2"	1511162	28.20	10

Helical Spring Lock Washers
Steel Zinc Clear



Standard spring lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Bolt Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
#10	1511010	0.07	100
1/4"	1511020	0.22	100
5/16"	1511030	0.38	100
3/8"	1511040	0.60	100
7/16"	2020393	0.90	100
1/2"	1511060	1.29	50
9/16"	1511070	1.77	50
5/8"	1511080	2.40	50
3/4"	2014420	3.95	25
7/8"	1511110	5.95	25
1"	1511120	8.80	10
1 1/8"	1511130	12.00	10
1 1/4"	1511140	16.60	10
1 1/2"	1511160	28.20	10

Helical Spring Lock Washers
Stainless Steel



Standard spring lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
#2	1511018	0.01	500
#4	1511007	0.02	500
#6	1511019	0.03	500
#8	1511008	0.05	500
#10	1511009	0.07	100
1/4"	1511021	0.22	100
5/16"	1511031	0.38	100
3/8"	1511043	0.60	100
7/16"	1511058	0.90	100
1/2"	1511063	1.30	50
9/16"	1511071	1.78	50
5/8"	1511068	2.42	50
3/4"	1511101	3.99	25
7/8"	1511111	6.01	25
1"	1511121	8.89	10

Helical Spring Lock Washers
Steel Zinc Yellow



Standard spring lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
#4	1875783	0.02	500
#6	1841128	0.03	500
#8	1511016	0.05	500
#10	1511002	0.07	100
#12	1838692	0.10	100
1/4"	1511024	0.22	100
5/16"	1511034	0.38	100
3/8"	1511044	0.60	100
7/16"	1511054	0.90	100
1/2"	1511064	1.29	50
9/16"	1511073	1.77	50
3/4"	1511104	3.95	25
7/8"	1511114	5.95	25
1"	1511124	8.80	10
1 1/8"	1969295	12.00	10
1 3/8"	1511151	21.90	10
1 1/2"	1511161	28.20	10

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com



**Helical Spring Lock Washers
Zinc Trivalent Clear with Sealer**



Standard spring lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Bolt Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
#10	2014647	0.07	100
1/4"	2014648	0.22	100
5/16"	2014649	0.38	100

**Helical Spring Lock Washers
Spring Steel Mechanical Zinc Clear**



Standard spring lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Bolt Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7/16"	1511050	0.90	100

**Helical Spring Lock Washers
Steel Mechanical Zinc Yellow**



Standard spring lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Bolt Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1511100	3.95	50
5/8"	1511084	2.40	25

**Helical Spring Lock Washers
Steel Black Teflon**



Standard spring lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Bolt Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8"	1511046	0.60	100

**Helical Spring Lock Washers
Steel Magni 565 Grey**



Standard spring lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Bolt Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8"	1994055	2.40	50

**Helical Spring Lock Washers
Steel DIN 127B Zinc Clear**



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M5	2016962	0.08	500
M6	2008271	0.18	100
M7	2015207	0.20	100
M8	2006030	0.35	100
M10	2008272	0.56	100
M12	2006029	0.84	100
M14	2008273	1.32	50
M16	2008274	1.96	50
M18	1488091	2.14	50
M20	2008275	3.35	25
M24	2015208	5.77	25

**Helical Spring Lock Washers
Steel DIN 127B Mechanical Zinc Yellow**



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M12	1836123	0.84	100

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

Helical Spring Lock Washers
 Steel DIN 127B Zinc Yellow



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M4	1450987	0.04	500
M5	1450991	0.08	500
M6	1451011	0.18	100
M8	1451021	0.35	100
M10	1451031	0.56	100
M12	1451041	0.84	100
M14	1836002	1.32	50
M16	1488085	1.96	50
M18	1488090	2.14	50
M20	1488094	3.35	25
M22	2023247	3.64	25

High Strength Helical Spring Lock Washers
 Steel RC 45 - 53 Zinc Yellow



Heat treated to 45-53 HRC / 1999 these spring lock washers provide the required seating and bearing surface used under a Grade 8 or Grade 5 cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed ASME B18.21.1 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4"	2009987	0.22	100
5/16"	2009988	0.38	100
3/8"	2008285	0.60	100
7/16"	2008286	0.90	100
1/2"	2008287	1.29	50
5/8"	2008288	2.40	50
3/4"	2008289	3.95	25
7/8"	2008290	5.95	25
1"	2008291	8.80	10

Helical Spring Lock Washers
 Steel DIN 127B Plain Finish



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M5	1450992	0.08	500
M6	1451012	0.18	100
M8	1451022	0.35	100
M20	1995662	3.35	25
M24	1451082	5.77	50

Helical Spring Lock Washers
 A2 Stainless Steel DIN 127B



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M4	1450986	0.04	500
M6	1451013	0.18	100

Helical Spring Lock Washers
 DIN 127B Steel Zinc Trivalent Clear with Sealer



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M5	2014639	0.08	500
M6	2014640	0.18	100

Helical Spring Lock Washers
 18 - 8 Stainless Steel DIN 127B



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M10	1451030	0.56	100

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Helical Spring Lock Washers
Steel DIN 127B Zinc Black



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M8	2007672	0.35	100

Light Helical Spring Lock Washers
Stainless Steel



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
#6	1809984	0.02	500
#8	1511003	0.03	500
#10	1511006	0.04	100
5/16"	1511033	0.21	100
3/8"	1511038	0.42	100
1/2"	1511061	1.06	50
5/8"	1511069	1.92	50
7/8"	1511113	5.05	25

Light Helical Spring Lock Washers
Steel Plain Finish



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8"	1511066	1.90	50
3/4"	1888449	3.25	25

Light Helical Spring Lock Washers
Steel Mechanical Zinc Yellow



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2002111	1.05	50

Heavy Helical Spring Lock Washers
Steel Plain Finish



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4"	1512022	0.29	100
5/16"	1512032	0.50	100
3/8"	1512042	0.77	100
1/2"	1512062	1.64	50
3/4"	1512102	5.17	25
1 1/2"	1512162	38.10	10

Heavy Helical Spring Lock Washers
Steel ANSI Zinc Yellow



Standard metric lock washers provide the required seating and bearing surface used under a cap screw head. Spring action helps prevent loosening or movement between screw and the bearing surface. Parts meet or exceed DIN 127 specifications.

Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M10	1488099	0.80	100
M16	1488100	2.85	50
M20	1955043	5.00	25

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

**Heavy Helical Spring
Lock Washers**

Steel Zinc Yellow



Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8"	1512044	0.77	100

**Heavy Helical Spring
Lock Washers**

Steel Mechanical Zinc Yellow



Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	1512161	38.10	10

**Hi-Collar Helical Spring
Lock Washers**

Steel Plain Finish



Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16"	1992891	0.20	100
7/16"	1841677	0.62	100

**Hi-Collar Helical Spring
Lock Washers**

Steel Zinc Yellow



Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8"	2007049	0.39	100

**Hi-Collar Helical Spring
Lock Washers**

Stainless Steel



Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4"	1809314	0.11	100
3/8"	1809315	0.39	100

**Hi-Collar Helical Spring
Lock Washers**

Steel ANSI Cadmium Clear



Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7/16"	1888424	0.62	100

Reference numbers and part weights are provided as a reference only.
Actual part weight may vary from weights shown.

1-888-232-1010
fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com



TRINITY™
SUPPLY CHAIN SOLUTIONS 489
20100706/issue 3/rev. a