

#3 Dome Head Plow Bolt Kits- SAE J429 Grade 8 **Zinc Phosphate & Oil** with Serrated Hex Flange Lock Nuts- SAE Grade 8 **Zinc Phosphate & Oil**



Used in a variety of cultivating and plow applications. Parts are heat treated to SAE J429 Grade 8 specifications.

3/8 - 16 KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1"	2024543PK	50	50	3.32
1 1/4"	2024544PK	50	50	3.76
1 1/2"	2024545PK	50	50	4.09
1 3/4"	2024546PK	50	50	4.53
2"	2024547PK	50	50	4.86

1/2 - 13 KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1"	2024555PK	50	50	7.10
1 1/4"	2024556PK	50	50	7.76
1 1/2"	2024557PK	50	50	8.43
1 3/4"	2024558PK	50	50	9.09
2"	2024559PK	50	50	9.64
2 1/4"	2024560PK	50	50	10.33
2 1/2"	2024561PK	50	50	11.07
2 3/4"	2024562PK	50	50	11.62
3"	2024563PK	25	25	6.16
3 1/2"	2024564PK	25	25	6.83

7/16 - 14 KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1 1/4"	2024548PK	50	50	5.85
1 1/2"	2024549PK	50	50	6.40
1 3/4"	2024550PK	50	50	6.84
2"	2024551PK	50	50	7.39
2 1/4"	2024552PK	50	50	7.95
2 1/2"	2024553PK	50	50	8.41
3"	2024554PK	25	25	4.73

5/8 - 11 KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
2 1/2"	2024565PK	25	25	7.60
3"	2024566PK	25	25	8.70
3 1/2"	2024567PK	25	25	9.77

Click any part number to order or view part online.

3/4 - 10 KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
2 1/2"	2024568PK	25	25	11.28
3"	2024569PK	25	25	12.83
3 1/2"	2024570PK	25	25	14.38

#3 Dome Head Plow Bolt Kits- SAE J429 Grade 8 **Plain Finish** with Finished Hex Nuts- SAE Grade 8 **Plain Finish**



Used in a variety of cultivating and plow applications. Parts are heat treated to SAE J429 Grade 8 specifications.

5/8 - 11 KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
2 1/4"	2008795PK	9	9	2.43
2 1/4"	2008796PK	12	12	3.29
2 1/4"	2009197PK	15	15	4.05

3/4 - 10 KITS


Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
2 1/4"	2008390PK	10	10	4.00

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

#3 Flat Head Plow Bolt Kits- SAE J429 Grade 5 **Zinc Clear**
with Serrated Hex Flange Lock Nuts- Steel Case Hardened **Zinc Clear**



Used in a variety of cultivating and plow applications.

3/8 - 16 KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1"	2024480PK	50	50	2.59
1 1/4"	2024481PK	50	50	2.89
1 1/2"	2024483PK	50	50	3.27
1 3/4"	2024485PK	50	50	3.66
2"	2024487PK	50	50	4.04

1/2 - 13 KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
2 1/4"	2024504PK	50	50	8.55
2 1/2"	2024506PK	50	50	9.25
2 3/4"	2024508PK	50	50	9.95
3"	2024509PK	25	25	5.33
3 1/2"	2024511PK	25	25	6.03

7/16 - 14 KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1 1/4"	2024490PK	50	50	4.33
1 1/2"	2024492PK	50	50	4.77
1 3/4"	2024494PK	50	50	5.30
2"	2024496PK	50	50	5.83
2 1/4"	2024498PK	50	50	6.36
3"	2024502PK	25	25	3.99

*Click any part number
to order or
view part online.*

#3 Oversized Flat Head Plow Bolts- SAE Grade 5 J429 **Zinc Clear**
with Serrated Hex Flange Lock Nuts- Steel Case Hardened **Zinc Clear**



Similar to standard plow bolts, oversized head plow bolts are used in a variety of cultivating and plow applications.

3/8 - 16 (7/16" Flat Head) Zinc Clear) KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1.37"	2024466PK	50	50	3.47
1 3/4"	2024467PK	50	50	4.03

7/16 - 14 (1/2" Flat Head) KITS

Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
2 1/4"	2024468PK	50	50	7.08
2 1/2"	2024469PK	50	50	7.17

Contour Head Plow Bolt Kits- SAE J429 Grade 5 **Zinc Clear**
 with Serrated Hex Flange Lock Nuts- Steel Case Hardened **Zinc Clear**



Used in a variety of cultivating applications.

3/8 - 16 KITS				
Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1 1/2"	2024470PK	50	50	3.27
1 5/8"	2024472PK	50	50	3.36
1 3/4"	2024474PK	50	50	3.66

7/16 - 14 KITS				
Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1 3/4"	2024476PK	50	50	5.30
1 7/8"	2024478PK	50	50	5.63

Left Hand Clipped Head Plow Bolts- SAE J429 Grade 8
 with **Left Hand** Finished Hex Nuts- SAE Grade 8 **Zinc Yellow**



Used for all types of plow applications in agriculture, construction, paving, snow removal and grading. Parts are heat treated to SAE Grade 8 J429 specifications.

1/2 - 13 KIT Zinc Phosphate & Oil Bolt				
Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1.259"	2022306PK	50	50	4.55

1/2 - 13 KIT Zinc Yellow Bolt				
Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1.456"	2022305PK	50	50	4.91

Left Hand Clipped Head Plow Bolts- SAE J429 Grade 8 **Zinc Yellow**
 with **Left Hand** Finished Hex Nuts- SAE Grade 5 **Plain Finish**



Used for all types of plow applications in agriculture, construction, paving, snow removal and grading.

7/16 - 14 KIT				
Length	Part Number	Bolt Quantity	Nut Quantity	Package Weight
1.259"	2022307PK	50	50	3.95

*Click any part number
 to order or
 view part online.*

Left Hand Clipped Head Plow Bolts- SAE J429 Grade 8 **Zinc Yellow**
 with **Left Hand** Finished Hex Nuts

7/16 - 14 / 1/2 - 13 PLOWSHARES KIT							
Bolt Size	Gr. 8 Zinc Yel. Bolt Quantity	Gr. 5 Plain Nut Quantity	Bolt Size	Gr. 8 Zinc Yel. Bolt Quantity	Gr. 8 Zinc Yel. Nut Quantity	Part Number	Package Weight
7/16 - 14 X 1.259"	3	3	1/2 - 13 X 1.456"	1	1	2019308PK	0.3411

Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com