

Slotted Serrated Truss Head Machine Screws  
 120M PSI Carburized Zinc Clear



**Coarse Thread.** This screw features a slotted drive and a serrated surface for locking in place. Parts are zinc clear finish and are 120M PSI in strength and hardness; comparable to a grade 5.

1/4 - 20			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2008189	1.07	100
3/4"	2008190	1.28	100
1"	2008191	1.49	100

5/16 - 18			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2008192	2.19	100
1"	2008193	2.74	100
1 1/4"	2008194	2.97	100

3/8 - 16			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2004913	3.80	100
3/4"	2008195	3.52	100
1"	2008196	4.06	100
1 1/4"	2008197	4.72	100

Slotted Serrated Truss Head Machine Screws  
 120M PSI Carburized Zinc Yellow



**Coarse Thread.** This screw features a slotted drive and a serrated surface for locking in place. Parts are zinc yellow finish and are 120M PSI in strength and hardness; comparable to a grade 5.

5/16 - 18			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2000583	1.88	100
3/4"	1815014	2.19	100
1"	1815013	2.82	100
1 1/4"	1993829	3.02	100
1 1/2"	2017121	3.65	50
2"	2001505	4.48	50

3/8 - 16			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2004913	3.80	100
3/4"	1992511	3.52	100
1"	1992512	4.04	50
1 1/4"	1994005	4.72	50
1 1/2"	2000282	5.58	50

Reference numbers and part weights are provided as a reference only.  
 Actual part weight may vary from weights shown.

## Slotted Serrated Truss Head Machine Screws

Special SAE Grade 5 J429 Carburized Scotch Grip® Patch Scotch Grip is a trademark of 3M.



**Coarse Thread.** This screw features a slotted drive and a serrated surface for locking in place. Parts are plain finish with a Scotch Grip patch. Parts are 120M PSI in strength and hardness; comparable to a grade 5.

### 3/8 - 16

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1993056	3.40	100
1"	1993058	4.40	50

## Slotted Serrated Truss Head Machine Screws

Carbon Steel Case Hardened Zinc Plated



**Coarse Thread.** This screw has a slotted drive and a serrated surface for locking in place. Parts are case hardened and zinc plated as noted below.

### 5/16 - 18 Zinc Clear

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2001341	2.19	100

### 3/8 - 16 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	2001334	5.30	50

## Slotted Serrated Truss Head Machine Screws

SAE Grade 8 J429 Zinc Yellow



**Coarse Thread.** This screw features a slotted drive and a serrated surface for locking in place. Parts are zinc yellow finish.

### 1/4 - 20

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	1994174	1.20	100
3/4"	1995512	1.36	100
1"	2006761	1.64	100

### 3/8 - 16

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2006193	3.52	100

Reference numbers and part weights are provided as a reference only.  
Actual part weight may vary from weights shown.

1-888-232-1010  
fax: (563) 441-6760


[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)



**TRINITY**™  
SUPPLY CHAIN SOLUTIONS  
20100706/issue 4/rev. a Dist\_4.0

## Slotted Serrated Truss Machine Head Screws

HVOF Coating



This screw has a slotted drive and a serrated surface for locking in place. Features an HVOF (High Velocity Oxygen Fuel) Thermal Spray Coating.

### 5/16 - 18 Gr. 5 Carburized Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2001396	2.19	100

### 3/8 - 16 Case Hardened Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	2001335	5.30	100
1 1/4"	2001197	5.88	100

## Slotted Truss Head Machine Screws

18 - 8 Stainless Steel



This machine screw is a fully threaded to the bottom of the truss head and features a slotted drive. Stainless Slotted Truss Head Machine Screws are commonly used with a stainless nut.

### #10 - 32

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1844337	0.74	100

## Slotted Truss Head Machine Screws

Class 10.9 Zinc Yellow



This screw features a slotted drive and high strength class 10.9 with serrations for extra hold.

### M6 - 1.00

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
16MM	2005574	1.23	100

### M10 - 1.50

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	2010901	5.00	100

### M8 - 1.25

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
20MM	2003561	2.71	100
25MM	2005706	2.91	100

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

## Slotted Truss Head Machine Screws

Low Carbon Steel



This machine screw is a fully threaded to the bottom of the truss head and features a slotted drive.

### #10 - 24 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	1813915	0.54	100

### 1/4 - 20 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	1844372	1.60	100

### #10 - 24 Zinc Clear

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/4"	1813945	0.97	100

### 1/4 - 20 Zinc Clear

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	2014172	1.60	100

### #10 - 32 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8"	1813655	0.67	100
1 1/4"	1875169	1.01	100

### 5/16 - 18 Zinc Clear

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2009479	2.00	100

### #10 - 32 Zinc Trivalent Clear

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2017529	0.58	100

### 3/8 - 16 Zinc Yellow

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/4"	1992241	4.86	50

## Slotted Truss Head Machine Screws with Neoprene Flat Washer Steel Zinc Yellow



### 1/4 - 20

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
1/2"	1813664	1.20	100	375612R91

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010  
 fax: (563) 441-6760

[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)

Cross-Recessed Truss Head Machine Screws  
 Low Carbon Steel



Coarse Thread.

**#8 - 32 Zinc Yellow**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8"	2009418	0.46	100

**#10 - 24 Zinc Yellow**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1874413	0.69	100
1"	1826092	0.84	100

**#10 - 24 Black Teflon**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1812497	0.69	100

**#10 - 32 Zinc Clear**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1814220	0.74	100

**1/4 - 20 Zinc Yellow**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	1828407	1.12	100
3/4"	1813942	1.35	100

**1/4 - 20 Chrome**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	1874407	1.12	100

**5/16 - 18 Red E-Coat**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	1875189	2.84	100

**5/16 - 24 Zinc Yellow**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8"	1838429	2.90	100

**5/16 - 24 Dog Point Zinc Yellow**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7/8"	1996149	3.24	100

**3/8 - 16 Zinc Clear**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 3/4"	2004045	6.17	100

Cross-Recessed Truss Head Machine Screws

Low Carbon Steel Zinc Yellow



Coarse Thread.

**3/8 - 16**

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1832260	3.52	100

Reference numbers and part weights are provided as a reference only.  
 Actual part weight may vary from weights shown.

## Cross-Recessed Truss Head Machine Screws

Stainless Steel



<b>#10 - 24</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2000851	0.69	100
1 1/4"	2006970	0.97	100

<b>1/4 - 20 Black Oxide</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	1873375	1.61	100

<b>1/4 - 20</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8"	1873402	1.24	100
1"	2001807	1.61	100

<b>3/8 - 16</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	1873415	4.46	100
1 1/4"	1992470	4.70	100

## Cross-Recessed Serrated Truss Head Machine Screws

SAE J429 Grade 5 Zinc Phosphate and Oil



<b>3/8 - 16</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8"	2003914	3.80	100


Reference numbers and part weights are provided as a reference only.  
 Actual part weight may vary from weights shown.

1-888-232-1010  
 fax: (563) 441-6760

[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)

## Cross-Recessed Serrated Truss Head Machine Screws

SAE J429 Grade 5 Carburized Zinc Yellow



Coarse Thread.

### 3/8 - 16

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/4"	2005184	5.00	100

### 5/6 - 18

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	1995908	2.50	100
1"	2003104	2.84	100

## Cross-Recessed Serrated Truss Head Machine Screws


SAE J429 Grade 8 Zinc Yellow



Coarse Thread.

### 1/4 - 20

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2002566	1.35	100



Reference numbers and part weights are provided as a reference only.  
 Actual part weight may vary from weights shown.